SAFETY DATA SHEET



Date Issued: 05/30/2015 SDS No: Fast Break

Date Revised: 03/01/2020 Revision No: 2

FAST BREAK

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: FAST BREAK

GENERAL USE: Heavy Duty Water Based Degreaser

PRODUCT CODE: 5712

MANUFACTURER

John-Henry Enterprises, Inc. 2813 Richland Ave Metairie, LA 70002

Emergency Contact: H. Zeller Emergency Phone: 504-888-8989

24 HR. EMERGENCY TELEPHONE NUMBERS

US/Canada: 800-535-5053

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Eye Damage/Irritation (Reversible), Category 2 Skin Corrosion/Irritation (reversible), Category 2

GHS LABEL

Causes severe irritation and possibly burns to eyes. Causes moderate to severe irritation and possibly burns to skin. Mists and spray can irritate eyes, nose, throat, and respiratory system. May be harmful if swallowed.



SIGNAL WORD: WARNING HAZARD STATEMENTS

5447125J: Causes serious eye irritation and burns

4143B262: Can cause moderate to severe skin irritation and burns.

H335: May cause respiratory irritation.

H302: Harmful if swallowed. H290: May be corrosive to metals.

PRECAUTIONARY STATEMENTS

Prevention:

P102: Keep out of reach of children.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P262: Do not get in eyes, on skin, or on clothing.

75990X3S: Keep only in original container. Store in a cool, well-ventilated space. Keep container tightly closed.

P103: Read label before use.

EMERGENCY OVERVIEW

IMMEDIATE CONCERNS: Causes severe irritation to skin. Causes severe irritation and damage to eyes. Mists and vapors can cause irritation to eyes, nose, and throat. Ingestion can damage mouth, throat, and other tissues and may be fatal.

POTENTIAL HEALTH EFFECTS

EYES: Extremely irritating to the eyes and may cause severe damage including blindness.

SKIN: Prolonged contact can cause severe skin irritation and possible burns.

INGESTION: Causes severe irritation, burns, and damage to mouth, throat, esophagus, and stomach. May be fatal if swallowed

INHALATION: Mists or sprays can be moderately to severely irritating to eyes and respiratory tract.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Organic chelate	< 2	Proprietary
Sodium Hydroxide	< 1	1310-73-2
Nitrilotriacetic Acid, Trisodium Salt Monohydrate	5 - 6	5064-31-3

4. FIRST AID MEASURES

EYES: Gently hold eyelids open and immediately flush eyes with water for at least 15 minutes or until pain eases. Remove contact lenses if possible. Seek medical attention, especially if there are visible burns or damage to or around eyes.

SKIN: Remove contaminated clothing and footwear. Flush off with copious amounts of running water. Seek medical attention for burns or if irritation persists or worsens.

INGESTION: Get immediate emergency medical attention (Call 911). Rinse mouth with water. Do not induce vomiting unless instructed to do so by poison center or physician. Give water, milk, or dilute citrus juice unless unconscious or convulsing. Keep patient warm, quiet, and comfortable and treat for shock.

INHALATION: If affected by spray or mist, move to fresh air. Seek medical attention if symptoms persist or worsen.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Moderate to severe irritation, including copious tearing, stinging, burning, temporary blurring of vision

SKIN: Causes moderate to severe irritation and possibly burns.

INGESTION: Causes severe irritation to mouth, throat, esophagus, and GI tract, and may cause burns. Can cause gastrointestinal discomfort, including nausea, vomiting, and diarrhea.

INHALATION: Spray or mists can irritate eyes, nose, throat, and respiratory tract.

NOTES TO PHYSICIAN: Treat symptomatically. Treat for thermal burns. Take precautions to prevent exposure to emergency and medical personnel to material.

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: Not Applicable

HAZARDOUS COMBUSTION PRODUCTS: After water has evaporated, burning solids will produce oxides of carbon and nitrogen, organonitrogen, and hydrocarbon residues and acrid fumes

EXPLOSION HAZARDS: Containers can burst if exposed to flames or high temperatures.

FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus when fighting chemical fires. Use water fog or spray to cool intact containers.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Contain and absorb spilled material. Dispose of contaminated absorbant properly. Wash spill area with water.

LARGE SPILL: Wear appropriate PPE. Remove uninvolved personnel from area. Stop flow. Contain spill and keep from entering sewer or surface waterways. Collect spill into suitable, properly labeled containers for use or disposal. Rinse spill area with water.

7. HANDLING AND STORAGE

HANDLING: Avoid contact with eyes and prolonged contact with skin. Read and understand product label and SDS before handling any chemical. Always wear recommended personal protective equipment. Follow label cautions and instructions.

STORAGE: Store in original containers in well ventilated area. Keep containers closed when not in use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

-	MI OSOILE GOIDELINES				
OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)					
Ī		EXPOSURE LIMITS			
	Chemical Name	Туре		ppm	mg/m³
Ī	Sodium Hydroxide	OSHA PEL	TWA		2

ENGINEERING CONTROLS: Maintain sufficient ventilation in storage and use areas to prevent the accumulation of product vapors, fumes, spray, or mists. Provide local exhaust for enclosed areas.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Avoid eye contact. Wear safety glasses or goggles

SKIN: Wear rubber, latex, or other chemical resistant gauntlet gloves and boots

RESPIRATORY: Use with adequate ventilation. Wear a NIOSH approved air purifying respirator where vapors, mists or spray are excessive or exceed exposure limits.

WORK HYGIENIC PRACTICES: Wash thoroughly before eating, drinking, smoking, or using the facilities after handling any chemical product.

OTHER USE PRECAUTIONS: Working eyewash stations and safety showers should be located in or near all areas where chemicals are stored or used.

9. PHYSICAL AND CHEMICAL PROPERTIES

ODOR: pleasant, lemon

APPEARANCE: clear, fluorescent yellow liquid

PH: 11.5 to 13.5 **Notes:** as made

PERCENT VOLATILE: 82 - 88% (w/w)

FLASH POINT AND METHOD: Not applicable - water based product

VAPOR PRESSURE: Same as water (approximately) **VAPOR DENSITY:** Same as water (approximately)

BOILING POINT: greater than 212 deg F
FREEZING POINT: less than 32 deg F (0 deg C)
SOLUBILITY IN WATER: Complete in all proportions.
EVAPORATION RATE: Same as water (approximately)

SPECIFIC GRAVITY: 1.02 to 1.04

VISCOSITY: Same as water (approximately)

(VOC): < 0.1 percent

10. STABILITY AND REACTIVITY

REACTIVITY: Yes

HAZARDOUS POLYMERIZATION: No

POSSIBILITY OF HAZARDOUS REACTIONS: Reacts with metals such as aluminum or zinc (releases hydrogen, a flammable gas). Reacts vigorously with concentrated acids (generating heat and steam)

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon, and nitrogen, organonitrogen, and and hydrocarbon residues, acrid inorganic fumes

INCOMPATIBLE MATERIALS: Concentrated acids, oxidizing agents, metals such as aluminum or zinc, ammonia and amines

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

NOTES: No toxicity data available for product

CARCINOGENICITY

Chemical Name	IARCStatus		
Nitrilotriacetic Acid, Trisodium Salt Monohydrate	Group 2B, Possible Human Carcinogen		

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: No data

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Unused or undiluted product constitutes a hazardous waste. Follow all appropriate local, state, and Federal disposal regulations. Surfactants and other organic components are biodegradable. Collect and neutralize spent solutions and discharge to a waste water treatment facility.

FOR LARGE SPILLS: See Section 6

EMPTY CONTAINER: Rinse container thoroughly with water and recycle.

RCRA/EPA WASTE INFORMATION: Unused or undiluted product would constitute an RCRA regulated hazardous waste due to corrosivity (CORROSIVE WASTE - D002, pH equal to or greater than 12.5)

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Not regulated

REPORTABLE QUANTITY (RQ) UNDER CERCLA: > 10000 pounds (as supplied)

VESSEL (IMO/IMDG)

SHIPPING NAME: Not regulated

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HEALTH HAZARDS: Acute health hazard (eye and skin irritation/corrosion)

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT)

Chemical Name	Wt.%	CERCLA RQ
Organic chelate	< 2	5,000
Sodium Hydroxide	< 1	1,000

TSCA (TOXIC SUBSTANCE CONTROL ACT)

Chemical Name	CAS
Organic chelate	Proprietary
Sodium Hydroxide	1310-73-2
Nitrilotriacetic Acid, Trisodium Salt Monohydrate	5064-31-3

TSCA STATUS: All ingredients are included on the TSCA Inventory or are exempt

CALIFORNIA PROPOSITION 65: Contains a substances or substances known to the State of California to cause cancer

Chemical Name	Wt.%	Listed
Nitrilotriacetic Acid, Trisodium Salt Monohydrate	5 - 6	• Cancer

RCRA STATUS: Regulated under RCRA (D002 - Corrosive)


16. OTHER INFORMATION

APPROVED BY: H. Zeller

PREPARED BY: CSCC Date Revised: 03/01/2020

REVISION SUMMARY: This SDS replaces the 11/23/2015 SDS. Revised: Section 1: REASON FOR ISSUE.





GENERAL STATEMENTS: Amounts given herein (other than for regulatory purposes) are typical and do not represent a specification. Unspecified or unlisted components are proprietary, do not present a hazard at levels present, are not hazardous, and/or are present It levels below reportable limits. Exact percentage values for all components are proprietary in accordance with 29 CFR 1910.1200(i)

MANUFACTURER DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, no liability whatsoever is assumed for its accuracy and/or completeness. Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown health or physical hazards and should be used with caution. Certain hazards are described herein, but no guarantee is made that these are the only hazards associated with the material that exist.