SAFETY DATA SHEET



Date Issued : 06/11/2018 SDS No : Industrial Yellow Date Revised : 03/12/2020 Revision No : 1

INDUSTRIAL YELLOW

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: INDUSTRIAL YELLOW GENERAL USE: High Foam Chlorinated Cleaner PRODUCT CODE: 7000 GENERIC NAME: Chlorinated Detergent

MANUFACTURER

John-Henry Enterprises, Inc. 2813 Richland Ave Metairie, LA 70002 Emergency Contact: H. Zeller Emergency Phone: 504-888-8989

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Skin Corrosion, Category 1A

Health:

Serious Eye Damage, Category 1

Environmental:

Acute Hazards to the Aquatic Environment, Category 1

GHS LABEL

CORROSIVE. Causes severe irritation and burns to skin. Causes severe burns and damage to eyes. Mists and spray can be irritating to eyes, nose, throat, and respiratory tract. Harmful or fatal if swallowed.



SIGNAL WORD: DANGER

HAZARD STATE MENTS

H314: Causes severe skin burns and eye damage.

- H410: Very toxic to aquatic life with long lasting effects.
- H318: Causes serious eye damage.
- H302: Harmful if swallowed.

PRECAUTIONARY STATEMENTS

General:

- P102: Keep out of reach of children.
- P103: Read label before use.
- 1193JFS0: Avoid contact with acids and ammonia
- P273: Avoid release to the environment.
- P202: Do not handle until all safety precautions have been read and understood.

Prevention:

P262: Do not get in eyes, on skin, or on clothing.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

- P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
- P284: [In case of inadequate ventilation] wear respiratory protection.

Response:

P362+P364: Take off contaminated clothing and wash it before reuse.

6156HX6P: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (See First Aid Section for more details)

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

0505GPKQ: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. (See First Aid Section for more detailed information).

2647OCLL: IF SWALLOWED: Immediately call a POISON CENTER, doctor, or other qualified medical personnel. (See First Aid Section for more information) Rinse mouth. Do NOT induce vomiting.

Storage:

71797F9V: Keep only in original container. Store in a well-ventilated place. Keep container tightly closed. Store away from incompatible materials (See Section 10 of SDS)

EMERGENCY OVERVIEW

IMMEDIATE CONCERNS: Causes severe irritation and burns to skin. Causes severe irritation, burns, and damage to eyes. Mists and vapors can cause irritation to eyes, nose, throat, and respiratory tract. Ingestion can damage mouth, throat, and other tissues and may be fatal.

POTENTIAL HEALTH EFFECTS

EYES: Corrosive to the eyes and may cause severe damage including tissue destruction and/or blindness.

SKIN: Contact can cause severe skin irritation and possibly burns.

INGESTION: Causes irritation, burns, and damage to mouth, throat, esophagus, and stomach. May be fatal if swallowed.

INHALATION: Mists or sprays can be moderately to severely irritating to eyes and respiratory tract.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Hypochlorous Acid, Sodium Salt	2 - 3	7681-52-9
Sodium Hydroxide	2 - 4	1310-73-2
All components are not hazardous or are present at levels that do not present a hazard to users.	> 85	mixture

4. FIRST AID MEASURES

EYES: Treat eye contact and a medical emergency (call 911). Gently hold eyelids open and immediately flush eyes with water for at least 15 minutes or until pain eases. Remove contact lenses if possible. Cover eyes loosely with sterile dressing and SEEK IMMEDIATE MEDICAL ATTENTION.

SKIN: Remove contaminated clothing and footwear. Flush off with copious amounts of running water. Seek medical attention for burns or if irritation persists or worsens.

INGESTION: Get immediate medical attention (call 911). Keep patient warm, calm, and quiet. Rinse mouth with water. DO NOT induce vomiting unless instructed to do so by poison center or physician.

INHALATION: If affected by vapors, spray or mist, move to fresh air. Seek medical attention if symptoms persist or worsen. Give oxygen if breathing is difficult and seek prompt medical attention.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Severe irritation or pain, tearing, redness, blurring and/or temporary or permanent loss of vision. May cause burns to and around eyes.

SKIN: Causes moderate to severe irritation and possibly burns.

INGESTION: Harmful or fatal if swallowed. Can cause irritation, gastric upset, burns and damage (corrosion) to mouth, throat, esophagus and gastrointestinal tract.

INHALATION: Spray or mists can severely irritate eyes, nose, throat, and respiratory tract causing coughing, sneezing, difficulty breathing, etc. **NOTES TO PHYSICIAN:** Treat symptomatically. If burns are present, treat for thermal burns.

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: Not Applicable - Water based product with no flashpoint.

GENERAL HAZARD: Strong oxidizer. May accelerate fires and release irritating and toxic fumes

- EXTINGUISHING MEDIA: Not applicable water based product. After water has evaporated, use water (fog or spray) or chemical foam on burning solids.
- HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon and nitrogen, organonitrogen and hydrocarbon residues, chlorine compounds, and acrid fumes

EXPLOSION HAZARDS: Containers can burst if exposed to flames or high temperatures.

FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus when fighting chemical fires. Use water fog or spray to cool containers

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Wear recommended PPE. Ventilate the area and remove uninvolved personnell. Contain and absorb spilled material. Dispose of contaminated absorbant properly. Wash spill area with water.

LARGE SPILL: Wear appropriate PPE. Remove uninvolved personnel from area. Stop flow. Contain spill and keep from entering sewer or surface waterways. Collect spill into suitable, properly labeled containers for use or disposal. Rinse spill area with water.

7. HANDLING AND STORAGE

HANDLING: Read and understand product label and SDS before handling any chemical. Use in well ventilated areas. Always wear recommended personal protective equipment. Follow label instructions.

STORAGE: Store in original containers in well ventilated area away from oxidizable organic materials (paper, fabric), acids, ammonia, and reducing agents. Keep containers closed when not in use. Store out of direct sunlight and away from sources of heat.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
	EXPOSURE LIMITS						
Chemical Name	Туре		ppm	mg/m³			
Sodium Hydroxide	OSHA PEL	TWA		2			

ENGINEERING CONTROLS: Maintain sufficient ventilation in storage and use areas to prevent the accumulation of product vapors, fumes, spray, or mists. Provide local exhaust for enclosed areas.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear safety glasses or goggles and face shield (recommended) when handling.

SKIN: Wear chemically resistant outer garments, impermeable boots and gloves when handling.

RESPIRATORY: Use with adequate ventilation. Wear a NIOSH approved multi-purpose air purifying respirator where vapors, mists or spray are excessive or exceed exposure limits.

PROTECTIVE CLOTHING: Wear chemcially resistant full length apron and impermeable boots when handling.

WORK HYGIENIC PRACTICES: Wash thoroughly before eating, drinking, smoking, or using the facilities after handling any chemical product.

OTHER USE PRECAUTIONS: Working eyewash stations and safety showers should be located in or near all areas where chemicals are stored or used.

9. PHYSICAL AND CHEMICAL PROPERTIES

ODOR: strong, bleach APPEARANCE: clear, amber liquid pH: > 13.0 Notes: (5% in water) PERCENT VOLATILE: 85 - 90% (w/w) VAPOR PRESSURE: Same as water (approximately) VAPOR DENSITY: Same as water (approximately) BOILING POINT: greater than 212 deg F FREEZING POINT: less than 32 deg F (0 deg C) SOLUBILITY IN WATER: Complete in all proportions. EVAPORATION RATE: Same as water (approximately) SPECIFIC GRAVITY: 1.005 to 1.015 VISCOSITY: Same as water (approximately)

10. STABILITY AND REACTIVITY

REACTIVITY: No

HAZARDOUS POLYMERIZATION: No

POSSIBILITY OF HAZARDOUS REACTIONS: Reacts with metals such as aluminum or zinc (releases hydrogen, a flammable gas). Reacts vigorously

with concentrated acids (generating heat and steam). Reacts with amonia and amines and forms toxic fumes.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon, and nitrogen, organonitrogen, and and hydrocarbon residues, acrid inorganic fumes, chlorine gas, hydrogen chloride

INCOMPATIBLE MATERIALS: Concentrated acids, oxidizing agents, metals such as aluminum or zinc, amines, ammonia, organic materials, reducing agents

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

DERMAL LD₅₀: > 2 g/kg (rabbit) **ORAL LD**₅₀: 3 - 5 g/kg (rat)

NOTES: No toxicity data available for product

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: No data

COMMENTS: This product could be expected to produce significant ecotoxicity upon exposure to aquatic systems and organisms.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Unused or undiluted product constitutes a hazardous waste. Follow all appropriate local, state, and Federal disposal regulations. Surfactants and other organic components are biodegradable. Collect and neutralize spent solutions and discharge to a waste water treatment facility.

FOR LARGE SPILLS: See Section 6

EMPTY CONTAINER: Empty containers may contain product vapors. Do not cut, weld, burn, or grind. Return empty containers for recycling.

RCRA/EPA WASTE INFORMATION: Unused or undiluted product would constitute an RCRA regulated hazardous waste due to corrosivity (CORROSIVE WASTE - D002, pH equal to or greater than 12.5)

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: NA1760, Compound, Cleaning liquid, n.o.s.(contains sodium hydroxide), 8, II

REPORTABLE QUANTITY (RQ) UNDER CERCLA: greater than 10000 lbs (as supplied)

MARINE POLLUTANT #1: No

VESSEL (IMO/IMDG)

SHIPPING NAME: UN1824, SODIUM HYDROXIDE SOLUTION, N.O.S., 8, PG II

MARINE POLLUTANT #1: No

15. REGULATORY INFORMATION

UNITED STATES

DOT LABEL SYMBOL AND HAZARD CLASSIFICATION



Corrosive

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HEALTH HAZARDS: Acute health hazard (eye and skin irritation/corrosion)

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT)

Chemical Name	Wt.%	CERCLA RQ
Sodium Hydroxide	2 - 4	1,000

CERCLA RQ: greater than 10000 lbs (as supplied)

EPA

EPA RQ INGREDIENT: Sodium Hydroxide

EPA RQ PRODUCT: greater than 10000 lbs (as supplied)

TSCA (TOXIC SUBSTANCE CONTROL ACT)

Chemical Name	CAS
Hypochlorous Acid, Sodium Salt	7681-52-9
Sodium Hydroxide	1310-73-2

TSCA STATUS: All other ingredients are included on the TSCA Inventory or are exempt

CALIFORNIA PROPOSITION 65: Contains no substances known to the State of California to cause cancer, birth defects, or reproductive harm.

16. OTHER INFORMATION


APPROVED BY: H. Zeller

Date Revised: 03/12/2020

REVISION SUMMARY: This SDS replaces the 06/11/2018 SDS.







GENERAL STATEMENTS: Amounts given herein (other than for regulatory purposes) are typical and do not represent a specification. Unspecified or unlisted components are proprietary, do not present a hazard at levels present, are not hazardous, and/or are present It levels below reportable limits. Exact percentage values for all components are proprietary in accordance with 29 CFR 1910.1200(i)

MANUFACTURER DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, no liability whatsoever is assumed for its accuracy and/or completeness. Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown health or physical hazards and should be used with caution. Certain hazards are described herein, but no guarantee is made that these are the only hazards associated with the material that exist.