

## SAFETY DATA SHEET



Date Issued : 06/18/2015  
 SDS No : 5822  
 Date Revised : 03/01/2020  
 Revision No : 6

## JOHN-HENRY 1-421

## 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** JOHN-HENRY 1-421  
**GENERAL USE:** Acidic Truck Wash (Part 1 of Two Step Wash System)  
**PRODUCT CODE:** 5822

**MANUFACTURER**

John-Henry Enterprises, Inc.  
 2813 Richland Ave  
 Metairie, LA 70002  
**Emergency Contact:** H. Zeller  
**Emergency Phone:** 504-888-8989

**24 HR. EMERGENCY TELEPHONE NUMBERS**

US/Canada: 800-535-5053

## 2. HAZARDS IDENTIFICATION

**GHS CLASSIFICATIONS****Health:**

Eye Corrosion, Category 1  
 Skin Corrosion, Category 1  
 Respiratory Tract Irritation, Category 2

**Environmental:**

Acute Hazards to the Aquatic Environment, Category 2

**GHS LABEL**

CORROSIVE. Causes severe irritation and burns to skin. Causes severe burns and damage to eyes. Mists and spray can be irritating to eyes, nose, throat, and respiratory tract. Harmful or fatal if swallowed.



Severe  
Irritant/Corrosive



Irritant

**SIGNAL WORD:** DANGER**HAZARD STATEMENTS**

H314: Causes severe skin burns and eye damage.  
 H290: May be corrosive to metals.  
 H301: Toxic if swallowed.  
 H333: May be harmful if inhaled.

**PRECAUTIONARY STATEMENTS****General:**

P102: Keep out of reach of children.  
 P103: Read label before use.  
 P202: Do not handle until all safety precautions have been read and understood.  
 P271: Use only outdoors or in a well-ventilated area.  
 P270: Do not eat, drink or smoke when using this product.

**Prevention:**

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P262: Do not get in eyes, on skin, or on clothing.  
 P280: Wear protective gloves/protective clothing/eye protection/face protection.  
 P285: In case of inadequate ventilation wear respiratory protection.

**Response:**

P361+P364: Take off immediately all contaminated clothing and wash it before reuse.

6156HX6P: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
(See First Aid Section for more details)

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

0505GPKQ: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. (See First Aid Section for more detailed information).

2647OCLL: IF SWALLOWED: Immediately call a POISON CENTER, doctor, or other qualified medical personnel. (See First Aid Section for more information) Rinse mouth. Do NOT induce vomiting.

#### Storage:

71797F9V: Keep only in original container. Store in a well-ventilated place. Keep container tightly closed. Store away from incompatible materials (See Section 10 of SDS)

### EMERGENCY OVERVIEW

**IMMEDIATE CONCERNS:** Causes severe irritation and reversible burns to skin. Causes severe irritation and damage to eyes. Mists and vapors can cause irritation to eyes, nose, and throat. Ingestion can cause moderate to severe irritation and burns to mouth, throat, and gastrointestinal tract. May be fatal if swallowed.

### POTENTIAL HEALTH EFFECTS

**EYES:** Corrosive to the eyes and may cause severe damage including tissue destruction and/or blindness.

**SKIN:** Contact causes severe skin irritation and possible burns. Development of burns and ulcers may be delayed.

**INGESTION:** Causes severe irritation, burns, and damage to mouth, throat, esophagus, and stomach. May be fatal if swallowed

**INHALATION:** Mists or sprays can be moderately to severely irritating to eyes and respiratory tract.

**COMMENTS:** Contains HYDROFLUORIC ACID. Toxic by inhalation, skin contact, and if swallowed. Causes severe burns and permanent injury to eyes. Causes burns to skin. Burns may be delayed and exposure may cause damage to tissue and bone in the contact area. Inhalation of vapors is irritating to the respiratory system and can cause pulmonary edema and pneumonitis.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt. %	CAS
Hydrofluoric Acid	10 - 14	7664-39-3
Hydrochloric Acid	< 5	7647-01-0
Other ingredients are not hazardous or are present at levels that do not present a significant hazard.	> 80	mixture

### 4. FIRST AID MEASURES

**EYES:** Treat eye contact and a medical emergency (call 911). Gently hold eyelids open and immediately flush eyes with water for at least 15 minutes or until pain eases. Remove contact lenses if possible. Cover eyes loosely with sterile dressing and SEEK IMMEDIATE MEDICAL ATTENTION.

**SKIN:** Remove contaminated clothing and footwear. Flush off with copious amounts of running water. Treat exposed areas with a cold solution containing 1% benzethonium chloride for at least thirty minutes. Seek medical attention if irritation persists, worsens, or if burns and ulcers develop.

**INGESTION:** Get immediate medical attention (call 911). Rinse mouth with water. Do not induce vomiting unless instructed to do so by poison center or physician. Give patient water or milk unless unconscious or convulsing. Keep patient warm and comfortable. Treat for shock.

**INHALATION:** If affected by spray or mist, move to fresh air. Seek medical attention if symptoms persist or worsen.

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE

**EYES:** Severe irritation or pain, blurring and loss of vision, burns and/or permanent damage.

**SKIN:** Causes moderate to severe irritation and burns. Development of burns and ulcers may be delayed.

**INGESTION:** Harmful or fatal if swallowed. Can cause irritation, gastric upset, burns and damage (corrosion) to mouth, throat, esophagus and gastrointestinal tract.

**INHALATION:** Spray or mists can irritate eyes, nose, throat, and respiratory tract.

**NOTES TO PHYSICIAN:** This product contains hydrofluoric acid. Take appropriate protective and preventive measures.

### 5. FIRE FIGHTING MEASURES

**FLAMMABLE CLASS:** Not Applicable - Water based product with no flashpoint.

**EXTINGUISHING MEDIA:** Not applicable - water based product. After water has evaporated, use water (fog or spray) or chemical foam on burning solids.

**HAZARDOUS COMBUSTION PRODUCTS:** Oxides of carbon and hydrocarbon residues, and acidic fumes.

**EXPLOSION HAZARDS:** Containers can burst if exposed to flames or high temperatures. Cool with water spray.

**FIRE FIGHTING PROCEDURES:** Wear self-contained breathing apparatus when fighting chemical fires. Use water fog or spray to cool containers and knock down acidic vapors.

## 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Wear recommended PPE. Ventilate the area and remove uninvolved personnel. Contain and absorb spill. Avoid runoff into storm sewers and ditches which lead to waterways. Rinse spill area with water or dilute alkaline solution. Dispose of contaminated absorbent material properly.

**LARGE SPILL:** Wear appropriate PPE. Remove uninvolved personnel from and ventilate the area. Stop and contain flow and keep spilled material from entering sewer or surface waterways. Collect spilled material and store in suitable, properly labeled containers for use or disposal. Rinse spill area thoroughly with water or a dilute alkaline solution.

## 7. HANDLING AND STORAGE

**HANDLING:** Avoid contact with eyes and prolonged contact with skin. Read and understand product label and SDS before handling any chemical. Always wear recommended personal protective equipment. Follow label cautions and instructions.

**STORAGE:** Store in original containers in well ventilated area. Keep containers closed when not in use.

**STORAGE TEMPERATURE:** Store at temperatures below 100 deg F.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)				
EXPOSURE LIMITS				
Chemical Name	Type		ppm	mg/m <sup>3</sup>
Hydrofluoric Acid	OSHA PEL	TWA	3	
	ACGIH TLV	TWA	0.5	
Hydrochloric Acid	OSHA PEL	TWA	5 (ceiling)	
	ACGIH TLV	TWA	2 (ceiling)	

**ENGINEERING CONTROLS:** Maintain sufficient ventilation in storage and use areas to prevent the accumulation of product vapors, fumes, spray, or mists. Provide local exhaust for enclosed areas.

### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** Wear safety glasses or goggles and face shield (recommended) when handling.

**SKIN:** Wear acid resistant outer garments, impermeable boots and gloves when handling.

**RESPIRATORY:** Use with adequate ventilation. Wear a NIOSH approved acid absorbing, air purifying respirator where fumes, mists or spray are excessive or exceed exposure limits.

**WORK HYGIENIC PRACTICES:** Wash thoroughly before eating, drinking, smoking, or using the facilities after handling any chemical product.

**OTHER USE PRECAUTIONS:** Working eyewash stations and safety showers should be located in or near all areas where chemicals are stored or used.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**ODOR:** Sharp, acidic

**APPEARANCE:** clear, blue liquid

**pH:** < 2

**Notes:** as made

**PERCENT VOLATILE:** 80 - 85% (w/w)

**FLASH POINT AND METHOD:** Not applicable - water based product

**FLAMMABLE LIMITS:** Not Applicable

**VAPOR PRESSURE:** Same as water (approximately)

**VAPOR DENSITY:** Same as water (approximately)

**BOILING POINT:** greater than 212 deg F

**FREEZING POINT:** less than 32 deg F (0 deg C)

**SOLUBILITY IN WATER:** Complete in all proportions.

**EVAPORATION RATE:** Same as water (approximately)

**SPECIFIC GRAVITY:** 0.99 to 1.01

**VISCOSITY:** Same as water (approximately)

## 10. STABILITY AND REACTIVITY

**REACTIVITY:** No

**HAZARDOUS POLYMERIZATION:** No

**POSSIBILITY OF HAZARDOUS REACTIONS:** Reacts with metals (releases hydrogen, a flammable gas). Reacts vigorously with concentrated alkalis to generate acidic steam.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Oxides of carbon and hydrocarbon residues, acidic fumes

**INCOMPATIBLE MATERIALS:** Concentrated alkalis and oxidizing agents.

## 11. TOXICOLOGICAL INFORMATION

**ACUTE TOXICITY**

**NOTES:** No toxicity data available for product

**Skin corrosion/irritation:** Concentrated product is corrosive to skin, eyes, and metals.

**CARCINOGENICITY**

**NOTES:** Contains no known or suspected carcinogens.

## 12. ECOLOGICAL INFORMATION

**ENVIRONMENTAL DATA:** No data

**COMMENTS:** Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic systems and organisms.

## 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Unused or undiluted product constitutes a hazardous waste. Follow all appropriate local, state, and Federal disposal regulations. Surfactants and other organic components are biodegradable. Collect and neutralize spent solutions and discharge to a waste water treatment facility.

**FOR LARGE SPILLS:** See Section 6

**EMPTY CONTAINER:** Triple rinse container thoroughly with water and recycle.

**RCRA/EPA WASTE INFORMATION:** Unused or undiluted product would constitute an RCRA regulated hazardous waste due to corrosivity (CORROSIVE WASTE - D002, pH equal to or greater than 12.5)

## 14. TRANSPORT INFORMATION

**DOT (DEPARTMENT OF TRANSPORTATION)**

**PROPER SHIPPING NAME:** UN1760, CORROSIVE LIQUID, N.O.S. (contains hydrofluoric acid and hydrochloric acid), 8 (6.1), II

**REPORTABLE QUANTITY (RQ) UNDER CERCLA:** 500 pounds (product as supplied)

**PLACARDS:** Corrosive

**LABEL:** Corrosive

**VESSEL (IMO/IMDG)**

**SHIPPING NAME:** UN1790, HYDROFLUORIC ACID SOLUTION, N.O.S. (contains hydrochloric acid), 8 (6.1), II

**PLACARDS:** Corrosive, Toxic

**LABEL:** Corrosive, Toxic

## 15. REGULATORY INFORMATION

**UNITED STATES**

**DOT LABEL SYMBOL AND HAZARD CLASSIFICATION**



Corrosive

**SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)****311/312 HEALTH HAZARDS:** Corrosive**SECTION 312 THRESHOLD PLANNING QUANTITY (40 CFR370):** 855 lbs (as supplied)**313 REPORTABLE INGREDIENTS:** Hydrogen Fluoride (present as hydrofluoric acid)**EPCRA SECTION 313 SUPPLIER NOTIFICATION**

Chemical Name	Wt.%	CAS
Hydrofluoric Acid	10 - 14	7664-39-3
Hydrochloric Acid	< 5	7647-01-0

**CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT)**

Chemical Name	Wt.%	CERCLA RQ
Hydrofluoric Acid	10 - 14	100
Hydrochloric Acid	< 5	5,000

**CERCLA RQ:** 855 lbs (as supplied)**EPA****EPA RQ INGREDIENT:** Hydrogen fluoride (present as hydrofluoric acid)**EPA RQ PRODUCT:** 855 lbs (as supplied)**TSCA (TOXIC SUBSTANCE CONTROL ACT)**


Chemical Name	CAS
Hydrofluoric Acid	7664-39-3
Hydrochloric Acid	7647-01-0

**TSCA STATUS:** All ingredients are included on the TSCA Inventory or are exempt**CLEAN AIR ACT**

Chemical Name	Wt.%	CAS
Hydrofluoric Acid	10 - 14	7664-39-3
Hydrochloric Acid	< 5	7647-01-0

**CALIFORNIA PROPOSITION 65:** Contains no substances known to the State of California to cause cancer.**16. OTHER INFORMATION****APPROVED BY:** H. Zeller**PREPARED BY:** CSCC **Date Revised:** 03/01/2020**REVISION SUMMARY:** This SDS replaces the 01/18/2017 SDS. Revised: **Section 1:** REASON FOR ISSUE.**HMIS RATING**

HEALTH	<input type="checkbox"/>	3
FLAMMABILITY	<input type="checkbox"/>	0
PHYSICAL HAZARD	<input type="checkbox"/>	0
PERSONAL PROTECTION	<input checked="" type="checkbox"/>	X

**NFPA CODES****GENERAL STATEMENTS:** Amounts given herein (other than for regulatory purposes) are typical and do not represent a specification. Unspecified or unlisted components are proprietary, do not present a hazard at levels present, are not hazardous, and/or are present at levels below reportable limits. Exact percentage values for all components are proprietary in accordance with 29 CFR 1910.1200(i)

**MANUFACTURER DISCLAIMER:** To the best of our knowledge, the information contained herein is accurate. However, no liability whatsoever is assumed for its accuracy and/or completeness. Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown health or physical hazards and should be used with caution. Certain hazards are described herein, but no guarantee is made that these are the only hazards associated with the material that exist.